




*The Walmo is a contemporary stylish wall mounted luminaire, ideal for any modern offices transitional spaces.*

Surface & Suspended

- A range of lumen outputs from 809-2508lm
- Colour Temperatures: 3000k - 4000k
- Colour: White RAL9016, Black 9005 and Silver 9006 as standard, other RAL colours available (/WH/BK/SLV)
- Available with Dimming (/STD/DALI/SDIM/MDIM)
- Wireless Control (/WI)
- Available with Emergency (/RME3/RME3-ST/RME3-PRO)
- Wireless Emergency (/RME3-WI)
- Mountings: Wall or Surface Mounted (/WM)
- Diffuser Options: Opal (/OP)
- Dimensions: (Length x Width x Height)
  - /S - 320 x 320 x 50mm
  - /M - 470 x 470 x55mm
  - /L - 620 x 620 x60mm
- Other lumen outputs available upon request

Product	MIS/WALLMO Wall Mounted LED Linear					
Light Source	LED					
System Power Luminaire lumens (4000K)	/9.2W 809lm	/14.7W 1294lm	/13.7W 1213lm	/22.0W 1941lm	/18.7W 1598lm	/29.7W 2508lm
Size	/S 320 x 320 x 50mm		/M 470 x 470 x55mm		/L 620 x 620 x60mm	
Driver	/STD Non Dimming	/DALI DALI Dimming	/SDIM Switch Dimming	/MDIM Mains Dimming	/WI Wireless Control	
Colour Temperature	/830 3000k			/840 4000k		
Colour	/WH White - RAL9016		/BK Black - RAL9005		/SLV Silver - RAL9006	
Diffuser Options	/OP Opal					
Emergency	/RME3 Three hour main- tained emergency	/RME3-ST Remote three hour maintained self test emergency		/RME3-PRO Remote three hour DALI addressable emergency		/RME3-WI Remote three hour Wireless addressable emergency
To Specify: WALMO-S LED, 9.2W, 4000k, 809lm LED wall mounted finished white in size small, supplied complete with DALI control gear and polar white diffuser. Part code: MIS/WALMO/S/18.7W/1598lm/DALI/840/WH/OP						

## Dimensions



Length	Width	Height
S - 320mm	S - 320mm	S - 50mm
M - 470mm	M - 470mm	M - 55mm
L - 620mm	L - 620mm	L - 60mm

MIR/RANGE/SW/LM/SIZE/DIM/840/OPT/ME3

How to Specify

Style	Range abbreviation	Wattage	Lumens	Size	Driver	Colour Temperature	Options	Emergency
-------	--------------------	---------	--------	------	--------	--------------------	---------	-----------