



MIW/CUBE/3.4W





MIW/CUBE/6.8W

- A range of elegant and decorative LED wall mounted luminaires.
Ideal for corridors and stairwell lighting.


- Colour Temperatures: 3000k - 4000k
- Wall mounted as standard
- White RAL9010 and White RAL 9016 as standard, other RAL colours available
- Dimming is available, however contact technical for further details
- Available in Remote Emergency (/RME3/RME3-ST/RME3-PRO)
- Miniwall luminaires are available with downlight or up/downlight (DL/UDL)

Product	MIW/CUBE LED wall mounted		
Lamp	LED		
Lamp Power	/3.4W	/6.8W	
Size	100 x 65 x 40mm	140 x 120 x 40mm	
Driver	/STD Non Dimming	/DIM Contact technical	
Colour Temperature	/830 3000k	/840 4000k	
Colour	/WH White		
Diffuser Options	/CL Clear		
Emergency	/RME3 Remote three hour maintained emergency	/RME3-ST Remote three hour maintained self test emergency	/RME3-PRO Remote three hour DALI addressable emergency
	To Specify: MINIWALL CUBE LED, 3.4W, 4000k, LED wall mounted finished white supplied complete with standard control gear. Part code: MIW/CUBE/LED/3.4W/STD/840/WH/CL		





MIW/SLIM/6W



MIW/SLIM/12W

- A range of elegant and decorative LED wall mounted luminaires.
Ideal for corridors and stairwell lighting.

- Colour Temperatures: 3000k - 4000k

- Wall mounted as standard



- White RAL9010 and White RAL 9016 as standard, other RAL colours available

- Dimming is available, contact technical for further details

- Available in Remote Emergency (/RME3/RME3-ST/RME3-PRO)

- Miniwall luminaires are available with downlight or up/downlight (DL/UDL)

Product	MIW/SLIM LED wall mounted		
Lamp	LED		
Lamp Power	/6W	/12W	
Size	380 x 35 x 30mm	530 x 35 x 30mm	
Driver	/STD Non Dimming	/DIM Contact technical	
Colour Temperature	/830 3000k	/840 4000k	
Colour	/WH White		
Diffuser Options	/CL Clear		
Emergency	/RME3 Remote three hour maintained emergency	/RME3-ST Remote three hour maintained self test emergency	/RME3-PRO Remote three hour DALI addressable emergency
To Specify: MINIWALL SLIM LED, 12W, 4000k, LED wall mounted finished RAL9010 supplied complete with standard control gear. Part code: MIW/SLIM/LED/12W/STD/840/WH/CL			





MIW/HUB/3.4W



MIW/HUB/6.8W

**- A range of elegant and decorative LED wall mounted luminaires.
Ideal for corridors and stairwell lighting.**

- Colour Temperatures: 3000k - 4000k
- Wall mounted as standard
- White RAL9010 and White RAL 9016 as standard, other RAL colours available
 - Dimming is available, contact technical for further details
- Available in Remote Emergency (/RME3/RME3-ST/RME3-PRO)
- Miniwall luminaires are available with downlight or up/downlight (DL/UDL)

Product	MIW/HUB LED wall mounted		
Lamp	LED		
Lamp Power	/3.4W	/6.8W	
Size	100 x 65 x 40mm	140 x 120 x 40mm	
Driver	/STD Non Dimming	/DIM Contact technical	
Colour Temperature	/830 3000k	/840 4000k	
Colour	/WH White		
Diffuser Options	/CL Clear		
Emergency	/RME3 Remote three hour maintained emergency	/RME3-ST Remote three hour maintained self test emergency	/RME3-PRO Remote three hour DALI addressable emergency
To Specify: MINIWALL HUB LED, 3.4W, 4000k, LED wall mounted finished white supplied complete with standard control gear. Part code: MIW/HUB/LED/3.4W/STD/840/WH/CL			

